SAFETY DATA SHEET

GLOBAL HRC

UNISEAL MANSEACTURING

ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

Infosafe No.: LQ21H Version No.: 1.0 ISSUED Date : 06/12/2017 ISSUED by: UNISEAL MANUFACTURING

1. IDENTIFICATION

GHS Product Identifier GLOBAL HRC

Company Name UNISEAL MANUFACTURING (ABN26 935 350 623)

Address 17 Ryelane Street Maddington WA 6109 Australia

Telephone/Fax Number Telephone: 1300 577 719 Fax number: 1300 366 353

E-mail Address uniseal@sealingservices.com.au

Recommended use of the chemical and restrictions on use Paint for surface protection and decorative finishes.

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture

Classified as non-hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion		
Limestone	1317-65-3	10-30 %		
Titanium dioxide	13463-67-7	10-30 %		
1,2-Propanediol	57-55-6	<2 %		
2-Methyl-4-isothiazolin-3-one	2682-20-4	<0.002 %		
Ingredients determined not to be hazardous, including water.		Balance		



Preparation Description

Solvent free dispersant based on PVC and acrylic resins with mineral fillers and light fast pigments.

4. FIRST-AID MEASURES

Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

First Aid Facilities

Eyewash and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use appropriate fire extinguisher for surrounding environment.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Specific Hazards Arising From The Chemical

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

Decomposition Temperature

Not available

Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location. Water spray may be used to cool down heat-exposed containers.

ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

SAFETY DATA SHEET

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. As a water based product, if spilt on electrical equipment the product will cause short-circuits. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values

Substance	Regulations	Exposure Duration	Exposure Limit	Units	Notes
Calcium carbonate	Safe Work Australia	TWA	10	mg/m3	(a) inhalable dust containing no asbestos and < 1% crystalline silica.
Titanium dioxide	Safe Work Australia	TWA	10	mg/m3	
1,2-Propanediol	Safe Work Australia	TWA	150	ppm	(Total vapour and particulates)
1,2-Propanediol	Safe Work Australia	TWA	474	mg/m3	(Total vapour and particulates)

Biological Limit Values

No biological limits allocated.

Appropriate Engineering Controls

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

SAFETY DATA SHEET

vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715 (2009), Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716 (2012), Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 2 & 6 (2012) - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material . Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1 (2016): Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Liquid

Appearance

White or pigmented creamy liquid

Colour

White or creamy

Odour Natural odour

Decomposition Temperature Not available

Melting Point Not available

Boiling Point 100°C

Solubility in Water Miscible

pH 7-9

Vapour Pressure Not available

SAFETY DATA SHEET

Vapour Density (Air=1) Not available

Evaporation Rate Not available

Odour Threshold Not available

Viscosity Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity

Volatile Component Not available

Partition Coefficient: n-octanol/water Not available

Density 1.25 kg/L

Flash Point Not applicable

Flammability Non combustible material.

Auto-Ignition Temperature Not applicable

Flammable Limits - Lower Not applicable

Flammable Limits - Upper Not applicable

Explosion Properties Not available

Oxidising Properties Not available

Kinematic Viscosity Not available

Dynamic Viscosity Not available

10. STABILITY AND REACTIVITY

Reactivity

Refer to Section 10: Possibility of hazardous reactions

Chemical Stability

Stable under normal conditions of storage and handling.

Conditions to Avoid Extremes of temperature and direct sunlight.



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

SAFETY DATA SHEET

Incompatible materials Not available

Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Possibility of hazardous reactions Not available

Hazardous Polymerization Not available

11. TOXICOLOGICAL INFORMATION

Toxicology Information

No toxicity data available for this material.

Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

Skin

May be irritating to skin. The symptoms may include redness, itching and swelling.

Eye

May be irritating to eyes. The symptoms may include redness, itching and tearing.

Respiratory sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

Not expected to be a skin sensitiser.

Germ cell mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard. Titanium dioxide is listed as a Group 2B: Possibly carcinogenic to humans according to International Agency for Research on Cancer (IARC).

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT-single exposure

Not expected to cause toxicity to a specific target organ.

STOT-repeated exposure

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not expected to be an aspiration hazard.



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

UNISEACTURING

ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION

Ecotoxicity

No ecological data available for this material.

Persistence and degradability Not available

Mobility Not available

Bioaccumulative Potential Not available

Other Adverse Effects Not available

Environmental Protection Prevent this material entering waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal considerations

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

14. TRANSPORT INFORMATION

Transport Information

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

U.N. Number None Allocated

UN proper shipping name None Allocated

Transport hazard class(es) None Allocated

Packing Group
None Allocated

UN Number (Air Transport, ICAO) None Allocated



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

SAFETY DATA SHEET

IATA/ICAO Proper Shipping Name Not dangerous for conveyance under IATA code

IATA/ICAO Hazard Class None Allocated

IATA/ICAO Packing Group None Allocated

IMDG UN No None Allocated

IMDG Proper Shipping Name Not dangerous for conveyance under IMO/IMDG code

IMDG Hazard Class None Allocated

IMDG Pack. Group None Allocated

IMDG Marine pollutant No

Transport in Bulk Not available

Special Precautions for User Not available

15. REGULATORY INFORMATION

Regulatory information

Classified as non-hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of SDS

SDS Created: December 2017

References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

SAFETY DATA SHEET

MANSEAL CTURING

ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353 Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

Globally Harmonised System of classification and labelling of chemicals.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.