SAFETY DATA SHEET GLOBAL FLEXIBLE FILLER

Infosafe No.: LQ2GQ

SAFETY DATA SHEET



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

GLOBAL FLEXIBLE FILLER

Infosafe No.: LQ2GQ

Version No.: 2.0 ISSUED Date: 22/12/2022

ISSUED by: UNISEAL MANUFACTURING

Section 1 - Identification

Product Identifier

GLOBAL FLEXIBLE FILLER

Company Name

UNISEAL MANUFACTURING (ABN 26 935 350 623)

Address

17 Ryelane Street Maddington WA 6109 Australia

Telephone/Fax Number

Telephone: 1300 577 719 Fax number: 1300 366 353

Emergency Phone Number

+61 8 9452 0477

E-mail Address

uniseal@sealingservices.com.au

Recommended use of the chemical and restrictions on use

Flexible granulated mastic for filling voids and cavities.

Section 2 - Hazard(s) Identification

GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Section 3 - Composition and Information on Ingredients

Ingredients

| Name | CAS | Proportion |
|---|------------|------------|
| Quartz [Silica Crystalline] | 14808-60-7 | 30-50 % |
| Ingredients determined not to be hazardous, including water | | Balance |

Preparation Description

Flexible water based acrylic mastic with mineral fillers and pigments.

SAFETY DATA SHEET



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

Section 4 - First Aid Measures

Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

Eve

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

First Aid Facilities

Eyewash and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

Section 5 - Firefighting Measures

Suitable Extinguishing Media

Use appropriate fire extinguisher for surrounding environment.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Specific hazards arising from the chemical

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

Decomposition Temperature

Not available

Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location. Water spray may be used to cool down heat-exposed containers.



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au
Web: www.global-services.com.au
17 Ryelane Street Maddington
WA 6109 Australia

SAFETY DATA SHEET

Section 6 - Accidental Release Measures

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. As a water based product, if spilt on electrical equipment the product will cause short-circuits. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

Section 7 - Handling and Storage

Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limit values

| Substance | Regulations | Exposure Duration | Exposure Limit | Units | Notes |
|--------------------------|------------------------|----------------------|-------------------|-------|-------|
| Quartz (respirable dust) | Safe Work Australia | TWA | 0.05 | mg/m3 | |

Biological Monitoring

No biological limits allocated.

Control Banding

Not available

Engineering Controls

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist/dust filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye and Face Protection



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au
Web: www.global-services.com.au
17 Ryelane Street Maddington
WA 6109 Australia

SAFETY DATA SHEET

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material such as rubber. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Thermal Hazards

No further relevant information available.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

Section 9 - Physical and Chemical Properties

| Properties | Description | Properties | Description |
|---------------------------------|---------------------------------|--|---|
| Form | Paste | Appearance | Coloured granulated mastic |
| Colour | Colour depends on added pigment | Odour | Mild odour |
| Melting Point | Not available | Boiling Point | 100°C |
| Decomposition Temperature | Not available | Solubility in Water | Miscible |
| рН | 7-9 | Vapour Pressure | Not available |
| Relative Vapour Density (Air=1) | Not available | Evaporation Rate | Not available |
| Odour Threshold | Not available | Viscosity | Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity |
| Volatile Component | VOC content: <5 g/L | Partition Coefficient: n-octanol/water (log value) | Not available |
| Density | 0.90-0.95 kg/L | Flash Point | Not applicable |
| Flammability | Non combustible material. | Auto-Ignition Temperature | Not applicable |
| Flammable Limits - Lower | Not applicable | Flammable Limits - Upper | Not applicable |
| Explosion Properties | Not available | Oxidising Properties | Not available |
| Kinematic Viscosity | Not available | Dynamic Viscosity | Not available |
| Particle Characteristics | Not available | | |

UNISEAL MANDRACTURING

ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au
Web: www.global-services.com.au
17 Ryelane Street Maddington
WA 6109 Australia

SAFETY DATA SHEET

Section 10 - Stability and Reactivity

Reactivity

Refer to Section 10: Possibility of hazardous reactions

Chemical Stability

Stable under normal conditions of storage and handling.

Possibility of hazardous reactions

Not available

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Not available

Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Hazardous Polymerization

Not available

Section 11 - Toxicological Information

Toxicology Information

No toxicity data available for this material.

Ingestior

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

Inhalation

Inhalation of dusts/vapors may irritate the respiratory system.

Skin

May be irritating to skin. The symptoms may include redness, itching and swelling.

⊨ye

May be irritating to eyes. The symptoms may include redness, itching and tearing.

Respiratory Sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

Not expected to be a skin sensitiser.

Germ Cell Mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard.

Crystalline silica (Quartz) is listed as a Group 1: Carcinogenic to humans according to International Agency for Research on Cancer (IARC).



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au
Web: www.global-services.com.au
17 Ryelane Street Maddington
WA 6109 Australia

SAFETY DATA SHEET

This product contains crystalline silica. No exposure to free respirable crystalline silica is anticipated during normal use of this product as silica is bound in the liquid/paste. It should be noted, however, that respirable crystalline silica has been listed as a Group 1 human carcinogen by the IARC. Inhalation of respirable silica may cause cancer, silicosis or other serious delayed lung injury. Grinding or machining of coated materials may release silica. Use approved dust respirator when grinding, sanding or machining the dried items.

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT - Single Exposure

Not expected to cause toxicity to a specific target organ.

STOT - Repeated Exposure

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not expected to be an aspiration hazard.

Section 12 - Ecological Information

Ecotoxicity

No ecological data available for this material.

Persistence and degradability

Not available

Mobility

Not available

Bioaccumulative Potential

Not available

Other Adverse Effects

Not available

Environmental Protection

Prevent this material entering waterways, drains and sewers.

Hazardous to the Ozone Layer

This product is not expected to deplete the ozone layer.

Section 13 - Disposal Considerations

Disposal Considerations

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations. To minimise personal exposure, refer to Section 8 - Exposure Controls and Personal Protection.

Section 14 - Transport Information

Transport Information

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

SAFETY DATA SHEET GLOBAL FLEXIBLE FILLER

Infosafe No.: LQ2GQ



ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

Marine Transport (IMO/IMDG):

SAFETY DATA SHEET

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

ADG U.N. Number

None Allocated

ADG Proper Shipping Name

None Allocated

ADG Transport Hazard Class

None Allocated

ADG Packing Group

None Allocated

Special Precautions for User

Not available

IATA UN Number

None Allocated

IATA Proper Shipping Name

Not dangerous for conveyance under IATA code

IATA Transport Hazard Class

None Allocated

IATA Packing Group

None Allocated

IMDG UN Number

None Allocated

IMDG Proper Shipping Name

Not dangerous for conveyance under IMO/IMDG code

IMDG Transport Hazard Class

None Allocated

IMDG Packing Group

None Allocated

IMDG Marine pollutant

No

Transport in Bulk

Not available

UNISEAL MANUEACTURING

ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au Web: www.global-services.com.au 17 Ryelane Street Maddington WA 6109 Australia

SAFETY DATA SHEET

Section 15 - Regulatory Information

Regulatory Information

Classified as non-hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

Not Scheduled

Montreal Protocol

Not Listed

Stockholm Convention

Not Listed

Rotterdam Convention

Not Listed

International Convention for the Prevention of Pollution from Ships (MARPOL)

Not available

Agricultural and Veterinary Chemicals Act 1994

Not Listed

Basel Convention

Not Listed

Section 16 - Any Other Relevant Information

Date of Preparation

SDS Reviewed: December 2022 Supersedes: December 2017

Version Number

2.0

Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

UNISEAL MANUE ACTURING

ABN: 26 935 350 623 Phone: 1300 577 719 Fax: 1300 366 353

Email: uniseal@sealingservices.com.au
Web: www.global-services.com.au
17 Ryelane Street Maddington
WA 6109 Australia

SAFETY DATA SHEET

International Air Transport Association (IATA) Dangerous Goods Regulations. International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition).

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.